



Shower Cabin Series

SLT-CIII 150H.....	02 page
SLT-CIII 170H.....	02 page
SLT-BIII 110B (L/R)	03 page
SLT-BIII 130B-L/R.....	03 page
SLT-YIII 90A/95A/100A/110A/120A	04 page
SLT-YIII 108B.....	04 page
SLT-Y I 102B.....	05 page
SLT-Y II 98B.....	05 page
SLT-YIII 98B.....	06 page
SLT-Y I 90B.....	06 page
SLT-Y II 90B.....	07 page
SLT-YIII 90B.....	07 page
SLT-CIII 156B.....	08 page
SLT-CIII 120B.....	08 page
SLT-SIII 90S.....	09 page
SLT-SIII 96GB.....	09 page
SLD-9909.....	10 page
SLD-P005.....	10 page
SLD-P001.....	11 page


Shower Cabin SLT-CIII 150H

	Model	SLT-CIII 150H	Specifications: 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. FM radio 7. HI-FI system 8. Sharp massage 9. Foot massage 10. Mirror 11. Shelf 12. Background light 13. Towel bar
	Size (cm)	150×85×220cm	
	Loading size	46 PCS Per 40'HQ	
	Packing volume	1.5 CBM	
	Carton Quantity	3 CTNS Per set	
	G.W.	135 KGS	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		


Shower Cabin SLT-CIII 170H

	Model	SLT-CIII 170H	Specifications: 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. FM radio 7. HI-FI system 8. Sharp massage 9. Foot massage 10. Mirror 11. Shelf 12. Background light 13. Towel bar
	Size (cm)	170×85×220cm	
	Loading size	39 PCS Per 40'HQ	
	Packing volume	1.8 CBM	
	Carton Quantity	3 CTNS Per set	
	G.W.	143	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		


Shower Cabin SLT-BIII 110B(L/R)

	Model	SLT-BIII 110B(L/R)	Specifications: 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. Decoration plate 7. FM radio 8. HI-FI system 9. Sharp massage 10. Foot massage 11. Mirror 12. Shelf 13. Background light
	Size (cm)	110×85×212cm	
	Loading size		
	Packing volume		
	Carton Quantity	3 CTNS Per set	
	G.W.	86 KGS	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		


Shower Cabin SLT-BIII 130B-L/R

	Model	SLT-BIII 130B-L/R	Specifications: 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. Decoration plate 7. FM radio 8. HI-FI system 9. Sharp massage 10. Mirror 11. Foot massage 12. Background light 13. Shelf
	Size (cm)	130×85×212cm	
	Loading size		
	Packing volume		
	Carton Quantity	3 CTNS Per set	
	G.W.	102KGS	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		


Shower Cabin SLT-YIII 90A/95A/100A/110A/120A

	Model	SLT-YIII 90A SLT-YIII 95A SLT-YIII 100A SLT-YIII 110A SLT-YIII 120A	Specifications: <ol style="list-style-type: none"> 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. FM radio 7. HI-FI system 8. Sharp massage 9. Mirror 10. Background light 11. Luxurious shelf
	Size (cm)	90×90×220cm 100×100×220cm 90×90×220cm 90×90×220cm 90×90×220cm	
	Loading size	103 PCS Per 40'HQ 93 PCS Per 40'HQ 87 PCS Per 40'HQ 75 PCS Per 40'HQ 56 PCS Per 40'HQ	
	Packing volume	0.68 CBM 0.75 CBM 0.8 CBM 0.93 CBM 1.24 CBM	
	Carton Quantity	4 CTNS Per set	
	G.W.	101 KGS 113 KGS 130 KGS 136 KGS	
	N.W.		
	Optional:	5/6/8mm toughened glass White/satin/Chrome aluminum.	


Shower Cabin SLT-YIII 108B

	Model	SLT-YIII 108B	Specifications: 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. Decoration plate 7. FM radio 8. Hi-Fi system 9. Sharp massage 10. Foot massage 11. Mirror 12. Shelf 13. Background light
	Size (cm)	108×108×212cm	
	Loading size	61 PCS Per 40'HQ	
	Packing volume	1.15 CBM	
	Carton Quantity	3 CTNS Per set	
	G.W.	95 KGS	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		


Shower Cabin SLT-Y I 102B

	Model	SLT-Y I 102B	Specifications: 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. Decoration plate 7. FM radio 8. Hi-Fi system 9. Sharp massage 10. Foot massage 11. Mirror 12. Shelf 13. Background light
	Size (cm)	102×102×212cm	
	Loading size		
	Packing volume		
	Carton Quantity	3 CTNS Per set	
	G.W.	85 KGS	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		


Shower Cabin SLT-Y II 98B

	Model	SLT-Y II 98B	Specifications: 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. Decoration plate 7. FM radio 8. Hi-Fi system 9. Sharp massage 10. Foot massage 11. Mirror 12. Shelf 13. Background light
	Size (cm)	98×98×212cm	
	Loading size		
	Packing volume		
	Carton Quantity	3 CTNS Per set	
	G.W.	92KGS	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		


Shower Cabin SLT-YIII 98B

	Model	SLT-YIII 98B	Specifications: 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. Decoration plate 7. FM radio 8. Hi-Fi system 9. Sharp massage 10. Foot massage 11. Mirror 12. Shelf 13. Background light
	Size (cm)	98×98×212cm	
	Loading size	62 PCS Per 40'HQ	
	Packing volume	1.13CBM	
	Carton Quantity	3 CTNS Per set	
	G.W.	86KGS	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		


Shower Cabin SLT-Y I 90B

	Model	SLT-Y I 90B	Specifications: 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. Decoration plate 7. FM radio 8. Hi-Fi system 9. Sharp massage 10. Foot massage 11. Mirror 12. Background light
	Size (cm)	90×90×212cm	
	Loading size		
	Packing volume		
	Carton Quantity	3 CTNS Per set	
	G.W.	85KGS	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		


Shower Cabin SLT-Y II 90B

	Model	SLT-Y II 90B	Specifications: 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. Decoration plate 7. FM radio 8. Hi-Fi system 9. Sharp massage 10. Foot massage 11. Mirror 12. Background light
	Size (cm)	90×90×212cm	
	Loading size		
	Packing volume		
	Carton Quantity	3 CTNS Per set	
	G.W.	77KGS	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		


Shower Cabin SLT-YIII 90B

	Model	SLT-YIII 90B	Specifications: 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. Decoration plate 7. FM radio 8. Hi-Fi system 9. Sharp massage 10. Foot massage 11. Mirror 12. Background light
	Size (cm)	90×90×212cm	
	Loading size		
	Packing volume		
	Carton Quantity	3 CTNS Per set	
	G.W.	81KGS	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		


Shower Cabin SLT-CIII 156B

	Model	SLT-CIII 156B	Specifications: 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. Decoration plate 7. FM radio 8. HI-FI system 9. Sharp massage 10. Foot massage 11. Shelf 12. Background light
	Size (cm)	156×86×216cm	
	Loading size	45 PCS Per 40'HQ	
	Packing volume	1.55CBM	
	Carton Quantity	3 CTNS Per set	
	G.W.	133KGS	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		


Shower Cabin SLT-CIII 120B

	Model	SLT-CIII 120B	Specifications: <ol style="list-style-type: none"> 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. Decoration plate 7. FM radio 8. HI-FI system 9. Sharp massage 10. Foot massage 11. Mirror
	Size (cm)	120×80×216cm	
	Loading size	61 PCS Per 40'HQ	
	Packing volume	1.15CBM	
	Carton Quantity	3 CTNS Per set	
	G.W.	106KGS	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		

Shower Cabin SLT-SIII 90S

	Model	SLT-SIII 90S	Specifications: <ol style="list-style-type: none"> 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. Decoration plate 7. FM radio 8. HI-FI system 9. Sharp massage 10. Mirror 11. Background light
	Size (cm)	90×90×212cm	
	Loading size		
	Packing volume		
	Carton Quantity	3 CTNS Per set	
	G.W.		
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		


Shower Cabin SLT-SIII 96GB

	Model	SLT-SIII 96GB	Specifications: 1. Computer control 2. Mixer tap 3. Exhaust fan 4. Handle shower 5. Top shower and top light 6. Decoration plate 7. FM radio 8. HI-FI system 9. Sharp massage 10. Mirror 11. Foot massage 12. Background light
	Size (cm)	95×95×212cm	
	Loading size	76 PCS Per 40'HQ	
	Packing volume	0.92CBM	
	Carton Quantity	3 CTNS Per set	
	G.W.	88KGS	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		


Shower Cabin SLD-9909

	Model	SLD-9909	Specifications: 1. Mixer tap 2. Handle shower 3. Sharp massage 4. Luxurious shelf
	Size (cm)	90×90×208cm	
	Loading size	80 PCS Per 40'HQ	
	Packing volume	0.87CBM	
	Carton Quantity	3 CTNS Per set	
	G.W.	77KGS	
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		

Shower Cabin SLD-P005

	Model	SLD- P005	Specifications: 1. Mixer tap 2. Handle shower 3. Sharp massage
	Size (cm)	90×90×216cm	
	Loading size	149 PCS Per 40'HQ	
	Packing volume	0.47CBM	
	Carton Quantity	3 CTNS Per set	
	G.W.		
	N.W.		
	Optional: 5/6/8mm toughened glass White/satin/Chrome aluminum.		

Shower Cabin SLD-P001

	Model	SLD- P001	Specifications: 1. Mixer tap 2. Handle shower
	Size (cm)	90×90×215cm	
	Loading size	100 PCS Per 40'HQ	
	Packing volume	0.7CBM	
	Carton Quantity	3 CTNS Per set	
	G.W.	67KGS	
	N.W.		
	Optional: 4mm toughened glass White/satin/Chrome aluminum.		